Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	611	(convert\$4 conversion encapsulat\$5 transform\$4) and ((rs232 or rs485) and tcp and http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 17:00
S2	12	(convert\$4 conversion encapsulat\$5 transform\$4) same ((rs232 or rs485) and tcp and http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:36
S3	3	S2 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:41
S4	613	(convert\$4 conversion encapsulat\$5 transform\$4) and ((rs232 or rs485) and tcp and http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/25 10:33
S5	320	S4 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:33
S6	0	(convert\$4 conversion encapsulat\$5 transform\$4) same (((rs232 or rs485) and tcp) and ("to" near4 http))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:27
S7	0	(convert\$4 conversion encapsulat\$5 transform\$4) and (((rs232 or rs485) and tcp) and ("to" near4 http))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:14

S8	461923	(convert\$4 conversion encapsulat\$5 transform\$4) same (prox\$3 agent\$1 intermediate\$1 intermediar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:28
S9	5010	(convert\$4 conversion encapsulat\$5 transform\$4) same (networks and protocols)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:41
S10	1391	S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:28
S11	_2	S5 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:29
S12	19	S5 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:29
S13	2784	((convert\$4 conversion encapsulat\$5 transform\$4) with (protocol\$1)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:34
S14	2	S4 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:34

			T	1		i
S15	1	S14 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:34
S16	8812	((convert\$4 conversion encapsulat\$5 transform\$4) with (protocol\$1)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:34
S17	14	S4 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OŖ	OFF	2007/09/25 10:34
S18	7	S17 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:41
S19	704	((client source user origin\$3) with ipv4) and ((server host destination) with ipv4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/25 10:39
S20	276	S19 and ((prox\$3 server\$1 intermediate\$1 intermediar\$4 agent\$1) with ipv6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:42
S21	195	S20 and ((convert\$4 conversion encapsulat\$5 transform\$4) same (networks and protocols address\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:40

	,		·		,	
S22	85	S21 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:41
S23	1580	(convert\$4 conversion encapsulat\$5 transform\$4) same (tcp and http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:00
S24	408	S23 and ((convert\$4 conversion encapsulat\$5 transform\$4) same (networks and protocols))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:42
S25	. 253	S24 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:42
S26	1204	(convert\$4 conversion encapsulat\$5 transform\$4) same (tcp same http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:41
S27	234	S26 and ((convert\$4 conversion encapsulat\$5 transform\$4) same (networks and protocols))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 12:42
S28	123	S27 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:01

S29	95	S28 and ((prox\$3 server\$1 intermediate\$1 intermediar\$4 agent\$1) with http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/25 12:43
S30		(convert\$4 conversion encapsulat\$5 transform\$4) same (tcp adj ip) same ("to" near2 http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:00
S31	832	(convert\$4 conversion encapsulat\$5 transform\$4) same (tcp adj ip) same http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:03
S32	191	(convert\$4 conversion encapsulat\$5 transform\$4) with (tcp adj ip) with http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:01
S33	12	((convert\$4 conversion encapsulat\$5 transform\$4) with (tcp adj ip) with http).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:01
S34	11	S33 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/25 13:03
S35	27	(convert\$4 conversion encapsulat\$5 transform\$4) same (ipv4 ipv6) same http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:06

						·
S36	15	S35 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:06
S37	7	(convert\$4 conversion encapsulat\$5 transform\$4) same (rs232 rs485) same http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/09/25 13:06
S38	1	S37 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:15
S39	613	(convert\$4 conversion encapsulat\$5 transform\$4) and ((rs232 or rs485) and tcp) and (http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:14
S40	0	(convert\$4 conversion encapsulat\$5 transform\$4) same ((rs232 or rs485) and (tcp adj ip)) same (http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:15
S41	10	(convert\$4 conversion encapsulat\$5 transform\$4) same (((rs232 or rs485) and (tcp adj ip)) and (http))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:15
S42	3	S41 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:15

DERWENT; IBM TDB	S43	7	(convert\$4 conversion encapsulat\$5 transform\$4) same (rs232 rs485) same http	,	OR	OFF	2007/09/25 14:54
---------------------	-----	---	---	---	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	. Time Stamp
S1 .	4	(10/337428 10/069295) and ((load adj balanc\$4) terminat\$4 identifier\$1 id telnet web identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:31
S2	2	(10/241502) and ((load adj balanc\$4) terminat\$4 identifier\$1 id telnet web identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 11:14
S3	2	(10/024896) and ((load adj balanc\$4) terminat\$4 identifier\$1 id telnet web identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:41
S4	59	(proxy server intermediate intermediary router) with (queue near3 (session\$1 communication\$1)) and (load near balanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:51
S5	21	S4 and (queue with (identifier\$1 id identification\$1 index))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:52
S6	12	S5 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/28 10:52
S7	102	(proxy intermediate intermediary router) with (queue near3 (session\$1 communication\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:57

						·
S8	30	S7 and (queue with (identifier\$1 id identification\$1 index))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/28 10:52
S9	14	S8 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:58
S10	27	(proxy intermediate intermediary router) same (queue with (identifier\$1 id index identification\$1) near3 (session\$1 communication\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/09/28 11:01
S11	10	S10 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 11:01
S12	66	(proxy intermediate intermediary router server) same (queue with (identifier\$1 id index identification\$1) near3 (session\$1 communication\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 11:01
S13	33	S12 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 11:14
S14	2	"6336135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 11:14

S15	1	S14 and ((load adj balanc\$4) terminat\$4 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 11:15
S16	. 17	("5329619" "5465328" "5687373" "5754772" "5835724" "5961601" "6003085" "6012094" "6023722" "6055564" "6068661" "6070197" "6085247" "6088728" "6108689" "6134592" "6216151").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/28 13:54
S17	2	S16 and (load near1 balanc\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 09:40